TRANSIT CONNECT
WHAT'S NEW

- Model Lineup weight revisions
- Change Van Roof Rack load limitations to 75kg
- Eliminate 1.5L diesel engine specs for North America

TRANSIT CONNECT
INDEX

TRANSIT CONNECT	Page
What's New	1
Index	2
Introduction	3
MODEL LINEUP	4
DIMENSIONAL DATA	
VAN & WAGON SHORT WB	5
VAN SHORT WB	6
WAGON SHORT WB	7
VAN & WAGON LONG WB	8
VAN LONG WB	9
WAGON LONG WB	10
VAN & WAGON	11
TAXI	12
VAN FLOOR EXTENSION	13
AIRBAG PROTECTION ZONES	14
SEATING REFERENCE POINT (SgRP)	15
VEHICLE ARCHITECTURE LAYOUT (LHD)	16
VEHICLE ARCHITECTURE LAYOUT (RHD)	17
UPFITTER INTERFACE MODULE	18
TAXI FEATURES	19
UPFITTER BLOCK CONNECTOR	20
CHANGE CONTROL	21

WARNING:
During the production and servicing of these vehicles, due care should be taken to avoid damaging of safety or emissions related systems such as the braking system, fuel lines, sensors, catalysts, etc. through contacting them while working on adjacent areas of the vehicle. Inadvertent damage can also occur due to adjacent welding/cutting operations, people standing near/on unprotected systems while performing other tasks.

TRANSIT CONNECT
INTRODUCTION

Important Notices

The information described herein is believed to be correct at the time of publication, but accuracy cannot be guaranteed. Ford reserves the right to discontinue models or change specifications or designs at any time without notice and without incurring any obligation.

Representations regarding the compliance of any Ford-manufactured incomplete vehicle to any rule, regulation or standard issued pursuant to the National Traffic and Motor Vehicle Safety Act or the Canadian Motor Vehicle Safety Act are set forth only in the Incomplete Vehicle Manual (IVM) which accompanies each incomplete vehicle.

Regulations such as those issued by the Federal Highway Administration (FHA) or issued pursuant to the Occupational Safety and Health Act (OSHA), and/or state, provincial, and local laws and regulations may require installation of additional equipment for the particular use intended for the vehicle. It is the responsibility of the subsequent stage manufacturer or completed vehicle alterer and the vehicle purchaser to ascertain how the vehicle will ultimately be used, if FHA, OSHA or state provincial or local regulations apply and how the vehicle as completed will comply with those requirements. Nothing contained herein is to be construed as a representation that such equipment required for the particular use intended has been installed on the completed or incomplete vehicle.

Reference Information

Ford Truck Body Builder Advisory Service Publications

This document is an example of a program specific Body Builders Layout Book (BBLB) published by the Ford Truck Body Builder Advisory Service (BBAS) team. Each Ford Commercial Truck vehicle line has a similar document that aims to provide detailed information that may be of interest to a subsequent stage manufacturer or alterer.

The Ford Transit and Transit Connect also have a Body and Equipment Mounting Manual (BEMM), which is a comprehensive resource dedicated to body and equipment mounting information.

An additional source of program specific information are the “Vehicle Specification” documents available on the Ford BBAS website. Information typically found in these documents are: vehicle curb and accessory weights, component descriptions, capacities, GAWRs, alternator output, powertrain output and gear ratios.

In addition to the program specific documents, there are several Ford BBLB documents that contain general best practices or information on specific subjects that span multiple vehicle lines. These include:

- General BBLB - contains Definitions, Design Recommendations and Vehicle Storage Guidelines.
- SEIC / PTO BBLB
- Snow Plow BBLB
- Pickup Box Removal BBLB

These publications are updated every model year and can be accessed via the web at https://fordbbas.com under the “Publications” tab. For BBLB and BEMM documents, expand the “Body Builder Layout Book” Section to view all available documents. For Vehicle Specifications, expand the “Vehicle Specifications” section. The website search function can be used to filter for specific content or vehicle line.

Ford Truck Body Builder Advisory Service Bulletins

Occasionally, the Ford BBAS team will create a “Bulletin” to address a specific issue or distribute important information in a timely manner. These documents can be accessed via the web at https://fordbbas.com under the “Bulletins” tab. The website search function can be used to filter for specific content or vehicle line.

If applicable, information from each bulletin will be incorporated into the appropriate BBLB document the following model year.

Ford Truck Body Builder Advisory Service Contact

The Ford Truck Body Builder Advisory Service may be consulted if questions regarding the completion of Ford commercial vehicles are not adequately addressed in the documentation described above. For assistance call (877) 840-4338 or e-mail via the web at https://fordbbas.com under the “Contact Us” tab. Please be as specific as possible with the request details to assure the most accurate and timely response.

Ford Service Publications

Ford Service Technical Resources (including wiring diagrams, repair manuals and diagnostic tool support) are available by subscription via the Motorcraft website: www.motorcraftservice.com

The following publications are examples of digital and printed manuals which are available from Helm Incorporated; call 1-800-782-4356 or contact Helm, Inc. at their website www.helminc.com:

- Ford Truck Shop Manuals
- Ford Towing Manuals
- Ford Wiring Diagrams

TRANSIT CONNECT
MODEL LINEUP

Model	Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.) (1)	ARC Weight (lbs.) (2)	Max GAWR (lbs.)		Base Curb Weight (lbs.)		
						Front	Rear	Front	Rear	Total
SWB Van	104.8	2.0L	5130	1510	TBD	2700	2875	2124	1457	3581
SWB Van (Fleet only)	104.8	2.5L CNG	5110	1480	TBD	2700	2875	2137	1453	3590
LWB Van	120.6	2.0L	5302	1570	TBD	2700	2875	2204	1485	3689
LWB Van (Fleet only)	120.6	2.5L CNG	5302	1560	TBD	2700	2875	2214	1484	3698
LWB Wagon (Steel wheel)	120.6	2.0L	5302	1250	TBD	2700	2875	2285	1743	4028
LWB Wagon (Aluminum wheel)	120.6	2.0L	5420	1380	TBD	2802	2875	2280	1739	4019
LWB Wagon (Fleet only) (Steel wheel)	120.6	2.5L CNG	5302	1250	TBD	2700	2875	2282	1747	4029
LWB Wagon (Fleet only) (Aluminum wheel)	120.6	2.5L CNG	5420	1380	TBD	2802	2875	2277	1742	4019
LWB Taxi	120.6	2.0L	5100	1110	TBD	2700	2875	2270	1671	3941
LWB Taxi (Fleet only)	120.6	2.5L CNG	5302	1320	TBD	2700	2875	2278	1662	3940

(1) Load rating represents maximum allowable weight of people, cargo and body equipment and is reduced by optional equipment weight.
(2) ARC aftermarket equipment Accessory Reserve Capacity for models with standard equipment.

TRANSIT CONNECT
DIMENSIONAL DATA
VAN & WAGON SHORT WB





ROOF LOADING CAPABILITY (Equally Distributed)
Van: 75 kg [165 lb]
Wagon: 75 kg [165 lb]
Panoramic Roof: 60 kg [132lb]





(Cont'd next page)

TRANSIT CONNECT
DIMENSIONAL DATA (Cont'd)
VAN SHORT WB



SECTION A



SECTION B



SECTION C



(Cont'd next page)

TRANSIT CONNECT
DIMENSIONAL DATA (Cont'd)
WAGON SHORT WB



SECTION A



SECTION B



(Cont'd next page)

TRANSIT CONNECT
DIMENSIONAL DATA (Cont'd)
VAN & WAGON LONG WB



ROOF LOADING CAPABILITY (Equally Distributed)
Van: 75 kg [165 lb]
Wagon: 75 kg [165 lb]
Panoramic Roof: 60 kg [132lb]





(Cont'd next page)

TRANSIT CONNECT
DIMENSIONAL DATA (Cont'd)
VAN LONG WB



SECTION A



SECTION B



SECTION C



(Cont'd next page)

TRANSIT CONNECT
DIMENSIONAL DATA (Cont'd)
WAGON LONG WB



SECTION A



SECTION B



SECTION C



(Cont'd next page)

TRANSIT CONNECT
DIMENSIONAL DATA (Cont'd)
VAN & WAGON

	2020 Transit Connect	SWB WAGON 5 SEATER	LWB WAGON 7 SEATER	SWB VAN	LWB VAN		SWB WAGON 5 SEATER	LWB WAGON 7 SEATER	SWB VAN	LWB VAN
Dim Code	**Exterior**	English Unit (in)	English Unit (in)	English Unit (in)	English Unit (in)		Metric Unit (mm)	Metric Unit (mm)	Metric Unit (mm)	Metric Unit (mm)
L101	Wheelbase [in]	104.80	120.55	104.80	120.55		2662	3062	2662	3062
L103	Length [in]	173.94	189.69	173.94	189.69		4418	4818	4418	4818
H101C-Ford	Height [in]	72.60	71.97	72.48	72.76		1844	1828	1841	1848
W103	Width - Excluding Mirrors [in]	72.24	72.24	72.24	72.24		1835	1835	1835	1835
W410	Width - Including Mirrors [in]	84.13	84.13	84.13	84.13		2137	2137	2137	2137
W411	Width - Mirrors Folded [in]	77.40	77.40	77.40	77.40		1966	1966	1966	1966
W101C-Ford	Front Track [in]	61.38	61.38	61.38	61.38		1559	1559	1559	1559
W102C-Ford	Rear Track [in]	61.73	61.73	61.73	61.73		1568	1568	1568	1568
L104	Front Overhang [in]	34.57	34.57	34.57	34.57		878	**878**	878	878
L105	Rear Overhang [in]	34.57	34.57	34.57	34.57		878	878	878	878
H196	Load Height (Curb) [in]	23.46	22.72	23.43	23.66		596	577	595	601
H508	Side Cargo Door Opening Height [in]	44.92	44.92	48.35	48.35		1141	1141	1228	1228
L508	Side Cargo Door Opening Width [in]	24.09	33.03	24.09	33.03		612	839	612	839
H202	Rear Cargo Door Opening Height [in]	45.12	45.12	43.98	43.98		1146	1146	1117	1117
W203	Rear Cargo Door Opening Width [in]	46.97	46.97	49.25	49.25		1193	1193	1251	1251
	Interior	English Unit (in)	English Unit (in)	English Unit (in)	English Unit (in)		Metric Unit (mm)	Metric Unit (mm)	Metric Unit (mm)	Metric Unit (mm)
H61	Head Room - First Row [in]	46.85	46.85	46.85	46.85		1190	1190	1190	1190
L33	Maximum Leg Room - First Row [in]	41.54	41.54	41.54	41.54		1055	1055	1055	1055
W5	Hip Room - First Row [in]	54.17	54.17	54.17	54.17		1376	1376	1376	1376
W3	Shoulder Room - First Row [in]	57.68	57.68	57.68	57.68		1465	1465	1465	1465
H63	Head Room - Second Row [in]	45.12	45.12	NA	NA		1146	1146	NA	NA
L51	Leg Room - Second Row [in]	37.64	37.64	NA	NA		956	956	NA	NA
W6	Hip Room - Second Row [in]	58.27	58.23	NA	NA		1480	1479	NA	NA
W4	Shoulder Room - Second Row [in]	58.46	58.46	NA	NA		1485	1485	NA	NA
H86	Head Room - Third Row [in]	NA	41.34	NA	NA		NA	1050	NA	NA
L86	Leg Room - Third Row [in]	NA	34.96	NA	NA		NA	888	NA	NA
W86	Hip Room - Third Row [in]	NA	46.97	NA	NA		NA	1193	NA	NA
W85	Shoulder Room - Third Row [in]	NA	56.30	NA	NA		NA	1430	NA	NA
L202	Cargo Length Front (at Floor) [in]	70.87	85.79	71.54	87.28		1800	2179	1817	2217
L204	Cargo Length Front (at Belt) [in]	60.94	76.65	61.34	77.09		1548	1947	1558	1958
L512-Modified	Cargo Length with Front Passenger Seat Folded (Van Only) [in]	NA	NA	101.14	116.89		NA	NA	2569	2969
W201	Cargo Width Between Wheelhouse [in]	46.95	46.95	48.27	48.27		1193	1193	1226	1226
H505	Cargo Height Maximum [in]	49.00	42.20	49.69	49.72		1245	1072	1262	1263
	Capacities	English Unit (cu ft)	English Unit (cu ft)	English Unit (cu ft)	English Unit (cu ft)		Metric Unit (liters)	Metric Unit (liters)	Metric Unit (liters)	Metric Unit (liters)
V1SCF+V2SCF+ V3SCF (if app)	Passenger Volume [cu. ft.]	120.68	165.96	63.23	63.23		3417	4699	1790	1790
V6	Cargo Volume Behind First Row [cu. ft.] (with 2nd row seat folded)	77.06	104.25	NA	NA		2182	2952	NA	NA
V7	Cargo Volume Behind Second Row [cu. ft.]	46.85	58.93	NA	NA		1327	1669	NA	NA
V9	Cargo Volume Behind Third Row [cu. ft.] (with 3rd row seat in design position)	NA	15.89	NA	NA		NA	450.0	NA	NA
V9	Cargo Volume Behind Third Row [cu. ft.] (with 3rd row seat moved to most forward position)	NA	19.78	NA	NA		NA	560.0	NA	NA
V6	Cargo Volume Behind First Row [cu. ft.] (Van Only; no 2nd or 3rd row seat)	NA	NA	103.94	128.66		NA	NA	2640	3268
V14	Maximum Cargo Volume with Front Passenger Seat Folded (Van Only; without bulkhead)	NA	NA	124.36	149.08		NA	NA	3159	3787

(Cont'd next page)

TRANSIT CONNECT
DIMENSIONAL DATA (Cont'd)
TAXI

Transit Connect Taxi Dimensions					
	Code	**Dimension (Metric)**	**Units (Metric)**	**Dimension (English)**	**Units (English)**
Interior Dimensions					
Front Row:					
Seat Height	H30	368	mm	14.5	in
SgRP to Ground (Curb)	H5C	670	mm	26.4	in
SgRP-Front, Y Coordinate	W20	360	mm	14.2	in
Leg Room	L34	1027	mm	40.4	in
2nd Row:					
Couple Distance	L50	1017	mm	40.0	in
SgRP to Ground (Curb)	H10C	743	mm	29.3	in
SgRP -1 to SgRP-2 Z	H15	61	mm	2.4	in
SgRP-Second Y Coordinate	W25	420	mm	16.5	in
Seat Height - Second	H31	325	mm	12.8	in
SgRP to Heel Kick	L23F	163	mm	6.4	in
Knee Room	L48	209	mm	8.2	in
Shoulder to Trim	N/A	85	mm	3.3	in
Hip Room	W6	1487	mm	58.5	in
Leg Room	L51	966	mm	38.0	in
Head Room	H63	1102	mm	43.4	in
Exterior Dimensions					
Vehicle Length	L103	4818	mm	189.7	in
Overhang - Front	L104	878	mm	34.6	in
Overhang - Rear	L105	878	mm	34.6	in
Wheelbase	L101	3062	mm	120.6	in
Vehicle Height, Maximum @ Curb	H101C	1828	mm	72.0	in
Vehicle Width, Maximum (includes Mirrors)	W410	2137	mm	84.1	in
Luggage/Cargo					
Load Length at floor level	L203	1155	mm	45.5	in
Load Height	H201	1231	mm	48.4	in
Load Width	W201	1149	mm	45.2	in
Loading Height	H196	577	mm	22.7	in
Loadbox volume behind 2nd row seats	V7	1721	liters	67.8	cu ft

TRANSIT CONNECT
VAN FLOOR EXTENSION



TRANSIT CONNECT
AIRBAG PROTECTION ZONES



REAR VIEW – DRIVER AND PASSENGER



SIDE VIEW – DRIVER AND PASSENGER

DO NOT INSTALL ADDITIONAL COMPONENTS IN THE SHADED AREAS, NOR ALTER OR MODIFY THESE AREAS

TRANSIT CONNECT
SEATING REFERENCE POINT (SgRP)



2-WAY SEATS



MULTI-WAY SEATS

SEAT DIMENSIONS

Seat Type	A	B	C	D	E	F	G	H	SGRP X	SGRP Y	Forward Travel	Rearward Travel
2-Way	355.35 [13.99]	135.46 [5.33]	331.65 [13.06]	331.65 [13.06]					335.27 [13.20]	331.65 [13.06]	200 [7.87]	20 [0.79]
4-Way Van	314.94 [12.40]	124.94 [4.92]	358.74 [14.12]	358.74 [14.12]	196.45 [7.73]	386.45 [15.21]	303.74 [11.96]	303.74 [11.96]	335.27 [13.20]	331.65 [13.06]	160 [6.30]	30 [1.18]
4-Way Wagon	334.94 [13.19]	104.94 [4.13]	358.74 [14.12]	358.74 [14.12]	176.45 [6.95]	406.45 [16.00]	303.74 [11.96]	303.74 [11.96]	335.27 [13.20]	331.65 [13.06]	180 [7.09]	50 [1.97]

NOTE — [ ] DIMENSIONS ARE INCHES.

Body Builders Layout Book

TRANSIT CONNECT
VEHICLE ARCHITECTURE LAYOUT - LHD


C6PL64 DOOR LATCH RF
C5PK30 KV ANTENNA DOOR HANDLE
C6R237 PASS DOOR PRESS SNSR
C5PW00-A PWR WDW MOTOR RF
C6PW19 WDW SW RF
C6PL29 LOCK/UNLOCK SW
NA ONLY
C6ME10 SPEAKER RF
C6PW04-A/-B PDM
C6PM31 POWER MIRROR RF
C6PW19-A 4-WAY HIGH CURRENT SW
C8PW23-B RR HIGH CURRENT SW
C8PW05 RRDM
C8ME12 SPEAKER RR
RR_DOOR HANDLE
C48-A
C8PL72 DOOR LATCH RR
C8PW23 WDW SW RR
C8PW24/-B WDW MTR RR
C3YA01 CTRL MOD DC/AC INVERTER
C3R218 PASS 2 ND ROW SIDE CRASH SENS
C4AT03-A/B TRM
C3DC07-D POWER OUTLET LUGGAGE
D352 D351
C4RB01 RIGHT BLIS DETECTOR
C4MP30 SAPP SENSOR RR
C4LS36-A/AA/B/BB RIGHT REAR LAMP
RIGHT CARGO LAMP
C4E352 LINE PRESS HTR
C4E225 PEM
C4E820/-A SELEC CAT UREA TANK ASSY
C4CA06 RR WHL SPEED SENSOR
C4E820 UREA
C4E820-A UREA (DIESEL)
CARGO DOORS
C4MP17 PARKING AID SENSOR ROR
C4RD16-A WDW HTR
C2PK08-A ANT_KEYLESS TRUNK EXT
C4RW13-A RR WIPER
C2PK08 ANT_KEYLESS TRUNK EXT
C4MP16 PARKING AID SENSOR RIR
C4RW13-B RR WIPER
C9LS50 CHMSL
C4PL17 LIFTGATE LATCH
C4PL17-A DR LATCH
C4LS38-A LICENSE PLATE
C4RW13-C RR WIPER
C4MP19-A REAR CAMERA
C4RD16-C WDW HTR (+)
C4MP14 PARKING AID SENSOR RIM
C4LS38-B LICENSE PLATE
C4LS38-C LICENSE PLATE
C44-Q
C44-X
C4MP15 PARKING AID SENSOR ROL
C4RW16-E WDW HTR (+)
LEFT CARGO LAMP
C4LS35-A/AA/B/BB LEFT REAR LAMP
C4MP29 SAPP SENSOR RL
C4RB03 LEFT BLIS DETECTOR
C2RT02 ALARM SECURITY HORN
D349
C3AC19 UPFITTER INTERFACE MODULE
C7PL71 DOOR LATCH LR
C4E515-A TANK UNIT
C4E761 SN-FUEL LO PRESS (FLPS) (GAS)
C4E922 TRANSDR-FTPT (GAS)
C4MP01-A/-B PAM
INLINE FLOOR TO TRAILER TOW ASSY
C4E319 DOSING CONTROL UNIT
C9LN02-E/F LN02_2:LP-DOME 3RD ROW
C3R204-E DRIVER SEATBELT BUCKLE 3 RD ROW
C9LN13-A/B TRUNK CARGO LAMP
C3R204-B DRIVER SEATBELT BUCKLE 3 RD ROW
C4CA04 RL WHEEL SPEED SNR
D356 D357
C3AX11-A TAXI SCUFF PLATE LP RHS
PASS 1 ST ROW SIDE CRASH SENS
D360 D348
C4LN13-B RIGHT FOOTWELL LAMP
C3R203-B PASS PRETENSIONER
C3R111-BA PASS INFLATABLE CURTAIN LVL5/6
C3R111 PASS INFLATABLE CURTAIN LVL4
BCM
C2AM02-DD
C3R204-A PASS SEAT BKL SNR OUTBOARD 2 ND ROW
SEAT HEATER
C3HF05 FFH PUMP
C9PK06-A/AA ANT KYLS LWB/SWB
C3R204-A PASS SEATBELT BUCKLE SN 2 ND ROW
C1E420 VLV-VAPOR BLKING (NO) (GAS)
C3R122 PASS SEATBELT PRETENSIONER SN 2 ND ROW
C1E823 SN-WTR IN FUEL DIESEL (DV NEO)
C9LN02-C/D LN02_1:LP-DOME 2ND ROW
C2ME89-A/AA/AAA MEDIA CONN
C2PK05-A/AA KV ANT INTFRT LVL1&4/DUALCO
C3DC07-BB FRT PWR OUTLET DUAL CO
C3DC07-B FRT PWR OUTLET LVL1&4
C2YA02-A/AA AC INVRTR OUTLT LVL1,4&DUALCO
C2AX12 TAXI OCCUP SW
C3R121-B PASS SEAT BELT PRETENSIONER
C3R203-C PASS BELT LOAD LIMITER
C3DC07-A/AA REAR PWR OUTLET
C2H424 TAXI A/C CIRC SW
C3HA21 A/C HEATER REAR
C9LN14-B DOME LP FRT FOE REAR
C3R121-A FRONT MIDDLE SEATBELT PRETENSIONER
C3R204-C MIDDLE SEATBELT BUCKLE 2 ND ROW
C3R204-D DR SIDE SEATBELT BUCKLE SN 2 ND ROW
POWER SEAT
C2H406-B EVAP TEMP SENSR
C2H406-B INLINER REFRIDGE
SEAT HEATER
C2H406-C TXV REFRIGERANT
C3H237-B RIGHT ACTUATOR SN
C2H237-A LEFT ACTUATOR SN
C4HP01-A REAR PTC (ELEC)
C4HP04 REAR PTC (PWR)
C3H102-A LMP BLOWER CONTROLLER
C3R109 DRIVER INFLATABLE CURTAIN LVL4
CR3109-BA DRIVER INFLATABLE CURTAIN LVL5/6
C3R176/-A DR PRETENSIONER
C4LN13-A LEFT FOOTWELL LAMP
D353 D354 D355
C3AX11-B TAXI SCUFF PLATE LP LHS
DR 1 ST ROW SIDE CRASH SENS
D347
C3R219 DR 2 ND ROW SIDE CRASH SENS
C5PW03-A WDW SW RL
C5PW22/-B WDW MTR RL
C48-B
RR_DOOR HANDLE
C7PW21-B RL HIGH CURRENT SW
C7PW03 RLDM
C7ME09 SPEAKER RL
C5PM20 4-WAY HIGH CURRENT SW
C5PM26 POWER MIRROR LF
C5PW02-A/-B DDM
C5ME07 SPEAKER LEFT
C5PW10/A/B/E WDW/MIRROR SW LF
C5PL22 LOCK/UNLOCK SW
NA ONLY
C5R236 DR DOOR PRESS SNSR
C5PW00-D PWR WDW MOTOR LF
C5PW22 PWR WIND MTR DVR-2
C55 C66-A
C5PL63 DOOR LATCH LF
C5PK30 KV ANTENNA DOOR HANDLE
C9HF05 TELESTART MODULE (FOH)
C9LN52 FRONT DOME LP
C9PL56 RECEIVER-REMT-RF
C2R102-C ADAPTIVE VENTING
C2ME11 TWEETER RH
C2LS42 TAXI CONN
CIRD04-A WINDSCRN HTR RF
C2HP01-A PTC
GSM
D215
C2H211-A TEMP DR MTR
C2LN15 GLOVE BOX
C2R102-A/B PAB
C2H102-A BLOWER MTR MOD
C2H408-B PASS FRT DIS1
C2H452-B PASS FRT DIS2
C2H404-A INCAR TEMP
C2H227 DR MODE ACTR
C2ME06 IP CENTER SPEAKER
C2MC01 TCS DISABLE SW
C2MM03 WIRELESS CHARGING
C2E937 BANK SW
C2ET28 TRANS RANGE
GPSM
C2ME42 CD CHANGER UNIT
MFD
EPM
C2H206-A RECIRC MTR
C2R116 PADI
C2ME44 ICP
C2H415 SUNLOAD SNR
C2LS32 HAZARD SW & DR LOCK
C2LF14 SUNLOAD SNR (AMBIENT)
D214
IPC
C2MC44 HUD
HVAC
SYNC
TCU
C2H123 WDW HTR SW
C2CB09 PARK BRAKE SW
ANT_INT FRONT
C3DC07-C 12V AUX IP
C2MM01-A/J
C2MT22-A/C/D
C9RW06-AA RAIN SNSR
C9RB06/-A CAMERA-LDW
C9RB08/-A WDW HTR SW
C3MM22 PIFA ANT
C3MN27 SHARK FIN ANT
C9PK06 ANT KYLS INT CNTR
RCM
C3R114-A/C
C3R114-B/-D
C4HA28 REAR CC REFRIG TXV
C9PK06-B KV ANT INT CNTR
C9PR32 POWER SUNBLIND
C9PM03 INT REAR VIEW MIRR W/ CAMERA
C9LN51 FRONT DOME LP
C9PM05-A/B ELECTROCHROMATIC RR VIEW MIRR
C2PK34 KV STP/STRT
C2DC32 IGN SW
C2CS01 STRNG COL LCK
C9RW06 RAIN SN MODULE
C2AM01-A/B SCCM
C2RT23 PATS
C2ME03-H DAB
C9LN28-B INT FRONT ROOF LP
C9MT06 MIC TELEM
C9PR40 SUNBLIND SW
C9RT06 COMB SN MD
C2E701 ACC PEDAL
C2CB02 BRAKE SW
C2E903 CLUTCH BOT SW
SSB SW
C2LF23 LIGHT SWITCH/MOD
C2H408-A DVR FRT DIS1
C2H452-A DVR FRT DIS2
C2DC45 USB
C2DB04/B SLDC
C2ME08 TWEETER LH
C1RW01 FRT WIPER MTR
D23 3
D238
C1RD03-A WINDSCRN HTR LF
NON-LEAR
D112
C1MP13 PARK ASSIST SSR FRONT OUTER RIGHT
C1RH02-B HORN TRAFFIC RT SIDE
C1LF09 HEADLAMP RH
C1LF34 FRONT FOG LAMP RH
C1H433 TRANSDR ACPT CONN
C1MF04 FWD LOOKING RADAR
C1E410 INTERCOOLER FAN
C1MP21 PARK ASSIST SSR FRONT SIDE RIGHT
C1RH02 HORN
C1R214 PASS FR CRASH SN
C1MP12 PARK ASSIST SSR FRONT INNER RIGHT
C1E203 C1EC01
COOLING FAN
C1MP10 PARK ASSIST SSR FRONT INNER LEFT
CCM
C1R213 DRV FR CRASH SN
C1MP20 PARK ASSIST SSR FRONT SIDE LEFT
C1E302 AGS
C1H407 AMBIENT TEMP SENSOR
C1E716-A SN-ECT
C1LF29 FRONT FOG LAMP LH
C1LF08 HEADLAMP LH
C1MP11 PARK ASSIST SSR FRONT OUTER LEFT
D123 D124
C1CA05 RF_WHL SPEED SNSR
C1LS67 LEFT SIDE REPEATER
C1E348 NOX CONT MOD SN
C1E513 GLOW PLUG CTRLR
C1HF01-C FOH
BBS
C1H433 AC PRESS SENS
C1PL25 HOOD AJAR SW
C1E505 PUMP-WTR ELEC(EWP)
C1ETB2 SN-SLCT GEAR(SGS)
C1H405 AC CLUTCH
TURBINE SHAFT SPD
ALT
C1E727-A FUEL RAIL PRESS
C1E321 HTR CRANKCASE VENT VLV
C1E256 FUEL VOL REG
C1E758-A SN-PFP
C1E147 EGR COOLER BYPASS VLV
C1E131 ELEC HEATED THERMOSTAT
C1ET33 SN TURBINE/ TRANS SHAFT SPD
C1CB29 CTRL MD-BRK VAC
C1MC14-A OIL LEVEL SENS
CIDC57 SN-BMS(ACS)
C1E716 ENG COOLANT PUMP
C1E130 ERGT
C1HA06 AUX COOL MTR
CIE462 AC COMP
CIE719 EGRT
C1E781 ENG OIL P&T SN
C1E349 NOX SN
C1E711-A CRANKSHAFT POS_SN
C1E766 EXH PARTICULATE SN
C1E712 CYLINDER HD TEMP SN
C1E530 COOLANT PUMP
C1E771 EGT3
C1ET99 TRANS_HYDR IND CTRL SOL
C1E723 EGT2
CIE824-A TMAF
C1E722-A EGT1
C1E175 ENG COOL SHUT-OFF
C1E476 VGT
C1E150 BOOST PRESS SN
C1E350 INJECTOR
C1E740 IAT
C1ET02 TCM
DV NEO
CONN-TRANS INTERFACE(BULKHEAD)
C1ET04
D194 TCM
C1E716 ENG COOL TEMP
C1E804-A TMAP
D109
D001
ST MTR
PCM
PDB
HCFB
BATTERY
BMS
D187
D108
D118-A
D118-B
C1DC02-BB
C1DC60
C1E205-A INJ 1
C1E206-A INJ 2
C1E207-A INJ 3
C1E208-A INJ 4
CIE358-A VAR OIL PUMP
CIE708 CATALYST DIFF PRES
C1E722-B EXH GAS
C1E138 ACAC D1AF ETB
C1E761 FUEL TEMP LO PRESS
C1E706 CAMSCHAFT POS SNS#1
C1E139-A EGR HIGH PRESS
C1E138-A WCAC
C1C505-A EPAS
C1CA38-A BRK VACC SNR
C2E757 MASTER CYL SW
C1CA01 ESP
C1CA22 SOL-IVD ACTV BOOSTER
C1RT05 SOUNDER BATT BACKED
C2HP04 PIGTAIL PTC HTR
D113
C1RW14 MTR WASHER
C1RD14 WNDSCREEN WASHER NOZZLE RT
C1RD13 WNDSCREEN WASHER NOZZLE LT
C1RW28 SLAVE WIPER MOTOR
D120
D121 D122
C1CA03 LF_WHL SPEED SNSR
C1LS69 LEFT SIDE REPEATER

15K867	FRONT BUMPER	
3C221	WIR ASSY-STEERING ANGLE SENSOR	
14B060	CABLE (+) – BATTERY TO STARTER MTR	
14290	FRONT END HARNESS	
14305	WIR ASSY ALT RECT & ENG GA	
12C508	WIRE ASSY ENGINE	
14300	ENGINE TO CHASSIS GND	
14301	WIR ASY-ENGINE TO TURRET GROUND	
14401	WIRE ASSY MAIN	
14A005	WIRE ASSY FLOOR	
14406	WIRING ASSEMBLY-FUEL TANK SENDER	
15K868	REAR BUMPER HARNESS	
14B079	WIR ASY-PARKING BRAKE / CONSOLE	
14631	DRIVER DOOR HARNESS	
14630	PASSENGER DOOR HARNESS	
14633	DOOR LOCK JUMPER REAR DOOR LH	
14632	DOOR LOCK JUMPER REAR DOOR RH	
14335	ROOF HARNESS	
14334	WIR-ASY-DOME LAMP CONNECTION	
13A409	WIR-ASY-DOME LAMP CONNECTION	
18C394		
17N400		
14G540	WIR ASY- RAIN SNS WIR JMPR	
13412	WIR ASY- CAMERA	
15A657	WIR ASY- REAR VIEW MIRROR	
19A095	EMC GND	
14405	CARGO LAMP HARNESS	
14A411		
14C210		
14B324		
14K042		
14F662		
13A444		
14A583		

Ford TRUCKS *Body Builders Layout Book*

TRANSIT CONNECT
VEHICLE ARCHITECTURE LAYOUT - RHD


C5PL63 DOOR LATCH RF
C6PK30 KV ANTENNA DOOR HANDLE
C5PW22 PWR WIND MTR DRV-2
C5
C5R236 DRV DOOR PRESS SNSR
C5PW10 PWR WDW MOTOR RF
C5PW30-A/B/E WDW SW RF
C6PL22-A DOOR LOCK SW RHD
C5SM07 SPEAKER RF
C5PM26 POWER MIRROR RF
C5PW02-A/B DDM
C5PM20 4-WAY HIGH CURRENT SW
C8PW23-B RR HIGH CURRENT SW
C8PW05 RRDM
C8ME12 SPEAKER RR
C48-A
RR_DOOR HANDLE
C8PL17 DOOR LATCH RR
C8PW23 WDW SW RR
C8PW24/-B WDW MTR RR
C3YA01 CTRL MOD DC/AC INVERTER
C3R219 DR 2ND ROW SIDE CRASH SENS
C4E225 PEM
C4AT03-A/-B TRM
C3D07-D POWER OUTLET LUGGAGE
C4RB01 RIGHT BLIS DETECTOR
C4MP30 SAPP SENSOR RR
C4MP17 PARKING AID SENSOR ROR
C4LS36-A/AA/B/BB RIGHT REAR LAMP
RIGHT CARGO LAMP
D123 D124 D356 D357 D360 D348 D352 D351
C1CA05 RF_WHL SPEED SNSR
C1LS67 LEFT SIDE REPEATER
C3AX11-A TAXI SCUFF PLATE LP RHS
DR 1ST ROW SIDE CRASH SENS
D233
C1MP13 PARK ASSIST SSR FRONT OUTER RIGHT
C1RH02-B HORN TRNSDR RF SIDE
C1LF09 HEADLAMP RH
C1LF34 FRONT FOG LAMP RH
C1H433 TRANSDR ACPT CONN
C1MF04 RADAR
FWD LOOKING
C1E410 INTERCOOLER FAN
C1MP21 PARK ASSIST SSR FRONT SIDE RIGHT
C1ETB2 SN-SLCT GEAR(SGS)
C1PL25 HOOD AJAR SW
C1RH02 HORN
C1R214 PASS FR CRASH SN
C1E203 C1EC01
C1MP12 PARK ASSIST SSR FRONT INNER RIGHT
C1E348 NOX CONT MOD SN
C1RW14 WASHER PUMP
GPCM
FOH
BBS
C1E505 PUMP-WTR ELEC(EWP)
C1H433 AC PRESS SENS
C1H405 AC CLUTCH
TURBINE SHAFT SPD
C1E727-A FUEL RAIL PRESS
C1E321 HTR CRANKCASE VENT VLV
C1E256 FUEL VOL REG
C1E258-A SN-RFP
C1E147 EGR COOLER BYPASS VLV
C1E131 ELEC HEATED THERMOSTAT
C1E733 SN-TURBINE/ TRANS SHAFT SPD
C1E829 CTRL MD-BRK VAC
C1MC14-A OIL LEVEL SENS
C1DC57 SN-BMS(ACS)
C1E716 ENG COOLANT PUMP
C1E462 AC COMP
C1E781 ENG OIL P&T SN
C1E716 ENG COOL TEMP
C1E804-A TMAP
C1E722-A EGT1
C1E716 ENG COOLANT TEMP
C1E712 CYLINDER HD TEMP SN
C1E771 EGT3
C1E723 EGT2
C1E476 VGT
C1E350 INJECTOR
C1E205-A INJ 1
C1E206-A INJ 2
C1E207-A INJ 3
C1E208-A INJ 4
C1E761 FUEL TEMP LO PRESS
C1E706 CAMSCHAFT POS SNS#1
C1E139-A EGR HIGH PRESS
C1E708 CATALYST DIFF PRES
C1E722-B EXH GAS
C1E138-A WCAC
C1E138 ACAC D7AF ETB
C1E358-A VAR OIL PUMP
C1RW01 FRT WIPER MTR
C2ME71 TWEETER RR
C2E908 CLUTCH PDT SW
C2C602 BRAKE SW
C2E701 ACC PEDAL
C2MC44 HUD
IPC
C2HP04 PIGTAIL PTC HTR
C1RW28 SLAVE WIPER MOTOR
C1RD04-A WINDSCRN HTR RF
C1RW14 MTR WASHER
C1RD14 WNDSCREEN WASHER NOZZLE RT
C1RD13 WNDSCREEN WASHER NOZZLE LT
C1CS05-A EPAS
C1E138-A WCAC
C1E716 ENG COOL TEMP
C1E722-B EXH GAS
C1E138 ACAC D7AF ETB
C1E358-A VAR OIL PUMP
C1E708 CATALYST DIFF PRES
C1E139-A EGR HIGH PRESS
C1E706 CAMSCHAFT POS SNS#1
C1E716 ENG COOLANT PUMP
C1E462 AC COMP
C1E781 ENG OIL P&T SN
C1E716 ENG COOL TEMP
C1E804-A TMAP
C1E722-A EGT1
C1E712 CYLINDER HD TEMP SN
C1E771 EGT3
C1E723 EGT2
C1E476 VGT
C1E350 INJECTOR
C1E205-A INJ 1
C1E206-A INJ 2
C1E207-A INJ 3
C1E208-A INJ 4
C1E761 FUEL TEMP LO PRESS
C1E706 CAMSCHAFT POS SNS#1
C1E139-A EGR HIGH PRESS
C1E708 CATALYST DIFF PRES
C1E722-B EXH GAS
C1E138-A WCAC
C1E138 ACAC D7AF ETB
C1E358-A VAR OIL PUMP
C1RD14 WNDSCREEN WASHER NOZZLE RT
C1RD13 WNDSCREEN WASHER NOZZLE LT
C1CS05-A EPAS
C1RW14 MTR WASHER
C1RD04-A WINDSCRN HTR RF
C1RW01 FRT WIPER MTR
C2ME71 TWEETER RR
C2E908 CLUTCH PDT SW
C2C602 BRAKE SW
C2E701 ACC PEDAL
C2MC44 HUD
IPC
C2HP04 PIGTAIL PTC HTR
C1RW28 SLAVE WIPER MOTOR
C1RD04-A WINDSCRN HTR RF
C1RW14 MTR WASHER
C1RD14 WNDSCREEN WASHER NOZZLE RT
C1RD13 WNDSCREEN WASHER NOZZLE LT
C1CS05-A EPAS
C1E138-A WCAC

TRANSIT CONNECT
UPFITTER INTERFACE MODULE



TRANSIT CONNECT
TAXI FEATURES



20
TRANSIT CONNECT

TRANSIT CONNECT
UPFITTER BLOCK CONNECTOR

2020
MODEL YEAR



CHANGE CONTROL INDEX

LTRS	REVISIONS		
ORIGINATOR	CHECKER	ENGR APP	MATL APP
			INITIAL RELEASE
CHLT14-1B347-AA-21-FNA-ECN/1 RELEASED			20190724
FTSI	RWAGNE43	SLAZARZ	--